



CATALOG 2016/ENG
M O L A R @ Q P B I B @ Q L O



AN OUTDOOR TABLE EVEN ON THE INSIDE



SCRATCHED
TOP



BLISTERED
TOP

INDOOR



SHOCKPROOF

OUTDOOR

The Indoor tables are equipped with a painted chipboard tabletop. The main benefit of this playing surface is the great value for money compared with the rebound quality. That said, this tabletop definitely is not for use outdoors as the material is not designed to cope with bad weather. Rain and, by extension, moisture are its worst enemies (risk of distortion and blistering). The sun's rays are no exception, as they too very quickly damage the surface layer (risk of discolouration). The other major disadvantage of this so-called indoor tabletop is its fragility in the event of repeated impacting and/or friction (impact from a beginner's racket for example). You've got it, we strongly recommend that you opt for so-called Outdoor tables, even when they are exclusively for indoor use (garage, cellar, etc.). Just as high performance for play, Cornilleau's Outdoor tabletops have the advantage that they're weather and shock resistant so they're ultra-durable. That's why we guarantee our Outdoor tables for 10 years (ref. page 5) compared with 3 years for the Indoor versions. So don't wait a second longer, whatever your style of Ping, opt for our Outdoor tables. You won't regret it!

LEISURE
TABLES



	100		150	250	
Models	OUTDOOR	INDOOR	CROSSOVER S OUTDOOR	CROSSOVER S OUTDOOR	INDOOR
Colours of tops	131 607 ■ 131 605 ■	131 600 ■	131 657 ■	132 657 ■ 132 655 ■	132 650 ■
Playing surface	Resin laminate 4 mm	Chipboard 19 mm	Resin laminate 4 mm	Resin laminate 5 mm	Chipboard 19 mm
Coating	SOFTMAT	-	SOFTMAT	SOFTMAT	-
Frame height	40 mm	30 mm	40 mm	40 mm	30 mm
Locking System	Push'n Lock (8 points)	Push'n Lock (8 points)	Push'n Lock (8 points)	DSI (16 points)	DSI (16 points)
Compact Technology	Yes	Yes	Yes	Yes	Yes
Leg type / dimensions	Straight - ø 25 mm	Straight - ø 25 mm	Straight with 3/4 resin - 115 x 28 mm	Straight with 3/4 resin - 115 x 28 mm	Straight with 3/4 resin - 115 x 28 mm
Adjustable leg pad	Ø 50 mm	Ø 50 mm	Ø 70 mm	Ø 70 mm	Ø 70 mm
Net type	Fixed	Fixed	Fixed	Folding	Folding
Adjustable net	Tension	Tension	Tension	Tension	Tension
Wheel type	SPECIAL OUTDOOR Double wheels Oversize	Double notched tread wheels	SPECIAL OUTDOOR Double wheels Oversize	SPECIAL OUTDOOR Double wheels Oversize	SPECIAL INDOOR double wheels
Wheels (thickness x diameter)	32 x 200 mm	20 x 150 mm	32 x 200 mm	32 x 200 mm	30 x 150 mm
Brakes	-	-	2 brakes	2 brakes	2 brakes
Ball storage	-	-	-	Yes	Yes
Racket storage	for 2 rackets	-	for 2 rackets	for 4 rackets	-
Corner protection pads	-	-	-	-	■
Additional features	-	-	-	-	-
Category (European Standards)	EN 14468 - CLASS D	EN 14468 - CLASS C	EN 14468 - CLASS C	EN 14468 - CLASS C	EN 14468 - CLASS C
Approval	FFTT LEISURE	FFTT LEISURE (HIGH QUALITY)	FFTT LEISURE (HIGH QUALITY)	FFTT LEISURE (HIGH QUALITY)	FFTT LEISURE (HIGH QUALITY)
Table weight	48 kg	69 kg	48 kg	64 kg	74 kg
Packaged weight	57 kg	78 kg	57 kg	73 kg	84 kg
Guarantee					

USES

	HOME & PRIVATE USE	++	+	++	++	+
	CLUBS & TOURNAMENTS					+
	SCHOOLS				++	++
	PUBLIC PARKS					
	HOSPITALITY					
	CORPORATE & SPECIAL EVENTS					



	300	400	500		700
Models	CROSSOVER S OUTDOOR	CROSSOVER M OUTDOOR	CROSSOVER M OUTDOOR	INDOOR	CROSSOVER M OUTDOOR
Colours of tops	133 617 ■ 133 615 ■ 133 616 ■	134 607 ■ 134 605 ■	155 607 ■ 155 605 ■	155 600 ■	157 607 ■
Playing surface	Resin laminate 5 mm	Resin laminate 6 mm	Resin laminate 7 mm	Chipboard 22 mm	Resin laminate 9 mm Overspeed Surface
Coating	SOFTMAT	MATTOP	MATTOP	-	MATTOP
Frame height	50 mm	50 mm	60 mm	50 mm	60 mm Graphite Armour
Locking System	DSI (16 points)	DSI (16 points)	DSI (16 points)	DSI (16 points)	DSI (16 points)
Compact Technology	Yes	Yes	Yes	Yes	Yes
Leg type / dimensions	Arched - 100 x 60 mm	Arched - 100 x 60 mm	Arched - 120 x 60 mm	Arched - 120 x 60 mm	Arched - 120 x 60 mm
Adjustable leg pad	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm
Net type	Folding	Retractable	Retractable	Retractable	Retractable
Adjustable net	Tension	Tension - Height	Tension - Height	Tension - Height	Tension - Height
Wheel type	SPECIAL OUTDOOR Double wheels Oversize	SPECIAL OUTDOOR Double wheels Oversize	SPECIAL OUTDOOR Double wheels Oversize	SPECIAL INDOOR double wheels	SPECIAL OUTDOOR Double wheels Oversize
Wheels (thickness x diameter)	32 x 200 mm	32 x 200 mm	32 x 200 mm	30 x 150 mm	38 x 200 mm
Brakes	2 brakes	2 brakes	2 brakes	2 brakes	4 brakes
Ball storage	Yes	Yes	Yes	Yes	Yes
Racket storage	for 4 rackets	for 4 rackets	for 4 rackets	for 4 rackets	for 4 rackets
Corner protection pads	-	Yes	Yes	Yes	Yes
Additional features	-	-	2x Balls dispensers + 1x Clearance handle	2x Balls dispensers	2x Balls dispensers + 2x Clearance handle
Category (European Standards)	EN 14468 - CLASS C	EN 14468 - CLASS C	EN 14468 - CLASS C	EN 14468 - CLASS C	EN 14468 - CLASS C
Approval	FFTT LEISURE (HIGH QUALITY)	FFTT LEISURE (HIGH QUALITY)	FFTT LEISURE (HIGH QUALITY)	FFTT COMPETITION	FFTT LEISURE (HIGH QUALITY)
Table weight	67 kg	69 kg	72 kg	94 kg	98 kg
Packaged weight	77 kg	79 kg	84 kg	108 kg	111 kg
Guarantee					

USES







	HOME & PRIVATE USE	+++	+++	+++	+	+++
	CLUBS & TOURNAMENTS				++	
	SCHOOLS				+++	
	PUBLIC PARKS					
	HOSPITALITY	+	+	++		+++
	CORPORATE & SPECIAL EVENTS			++		+++

COMPETITION
TABLES










	540 ITTF 	610 ITTF	640 ITTF 	740 ITTF 	850 WOOD ITTF 
Colours of tops	115 600 	116 610 	116 600 	117 600  117 601 	118 602  118 600 
Playing surface	Chipboard 22 mm	Chipboard 22 mm	Chipboard 22 mm	Chipboard 25 mm	Chipboard 25 mm
Coating	SKILTOP	SKILTOP	SKILTOP	SKILTOP	SKILTOP P-BALL READY
Frame height	Steel 50 mm	Steel 50 mm	Steel 50 mm	Steel 70 mm	Wood 70 mm (tilted to player)
Locking System	DSI (16 points)	Static	DSI (16 points)	DSI (16 points)	DSI (16 points)
Compact Technology	yes	-	yes	yes	yes
Leg type / dimensions	Adjustable - Steel 60 x 40 mm	Steel 80 x 40 mm	Steel 80 x 40 mm	Steel 120 x 60 mm	Wood 120 x 60 mm
Adjustable leg pad	Ø 70 mm	-	Ø 90 mm	Ø 135 mm	Ø 140 mm
Net type	Permanent and retractable	Screw fixing	Permanent and retractable	Permanent and retractable	Permanent and retractable
Adjustable net	Tension - Height	Tension - Height	Tension - Height	Tension - Height	Tension - Height
Wheel type	SPECIAL INDOOR double wheels	Wheels under tabletop	SPECIAL INDOOR ball bearings wheels	SPECIAL INDOOR ball bearings wheels	SPECIAL INDOOR ball bearings wheels
Wheels (thickness x diameter)	30 x 150 mm	-	35 x 125 mm	35 x 125 mm	35 x 125 mm
Brakes	4 brakes	-	2 brakes	4 brakes	4 brakes
Corner protection pads	-	-	-	-	-
Category (European Standards)	EN 14468 - CLASS A	EN 14468 - CLASS A	EN 14468 - CLASS A	EN 14468 - CLASS A	EN 14468 - CLASS A
Approval	ITTF High Competition	ITTF High Competition	ITTF High Competition	ITTF High Competition	ITTF High Competition
Table weight	97 kg	94 kg	101 kg	117 kg	122 kg
Packaged weight	109 kg	106 kg	117 kg	133 kg	140 kg
Guarantee					

USES







 HOME & PRIVATE USE					+
 CLUBS & TOURNAMENTS	+++	+++	+++	+++	+++
 SCHOOLS	++				
 PUBLIC PARKS					
 HOSPITALITY					
 CORPORATE & SPECIAL EVENTS					

INSTITUTIONAL
TABLES



	510M OUTDOOR	540M CROSSOVER (OUTDOOR)	PARK (OUTDOOR)
Colours of tops	125 617  125 615 	125 607 	127 137 
Playing surface	Resin laminate 7 mm	Resin laminate 7 mm	Resin laminate 9 mm
Coating	MATTOP	MATTOP	MATTOP
Frame height	60 mm	60 mm	80 mm
Locking System	Static	DSI (16 points)	Static
Compact Technology	-	yes	-
Leg type / dimensions	Steel curve Ground fastening system	Arched - 120 x 60 mm	Hot-dip galvanization steel 90 mm
Adjustable leg pad	-	Ø 120 mm	-
Net type	Steel Fixed (Kit with Advance net available)	Steel Fixed (Kit with Advance net available)	Steel Fixed (Kit with Advance net available)
Adjustable net	Tension - Height (with Advance net Kit)	Tension - Height (with Advance net Kit)	Tension - Height (with Advance net Kit)
Wheel type	-	SPECIAL OUTDOOR Double wheels Oversize	-
Wheels (thickness x diameter)	-	32 x 200 mm	-
Brakes	-	2 brakes	-
Corner protection pads	yes	yes	yes
Category (European Standards)	EN 14468 - CLASS B	EN 14468 - CLASS B	EN 14468 - CLASS B
Approval	FFTT LEISURE	FFTT LEISURE	FFTT LEISURE
Table weight	77 kg	84 kg	162 kg (362 kg with ballast kit)
Packaged weight	89 kg	98 kg	282 kg (without any fastening kit)
Guarantee			

USES

 HOME & PRIVATE USE			
 CLUBS & TOURNAMENTS			
 SCHOOLS	+	+	+
 PUBLIC PARKS	++		+++
 PUBLIC PARKS	+++	++	+++
 CORPORATE & SPECIAL EVENTS	+++		+++



LEISURE
RACKETS

COMPOSITE

WOODEN

NAME OF PRODUCTS	REF	DETAILS	RUBBER	CONCEPT	SPEED	SPIN	CONTROL	COLOUR OF SPONGE	THICKNESS OF SPONGE (MM)	PLYWOOD
TACTEO 30	453 400	1 racket	Polymer	SKIN+	5	5+	8+			
TACTEO 50	455 405 455 407 455 408	1 racket	Polymer	SKIN+	7	7+	7+			
PACK DUO TACTEO	455 450	2 rackets + 3 balls	Polymer	SKIN+	7	7+	7+			
NEXEO X70	NEW packaging 457 600	1 racket	Foamed Polymer		8,5	8,5	8			
NEXEO X90	NEW packaging + colours 459 600	1 racket	Foamed Polymer	Carbon Fiber	9	8,5	7,5			
NEXEO X200 GRAPHITE	NEW 462 600	1 racket	Foamed Polymer	Graphite Inside, Extra Light	9,5	9	7			
SPORT 100	441 300	1 racket	ITTF 1 star		3	3	10	white	1,2	5
PACK DUO	432 350	2 rackets + 3 balls	ITTF 1 star		4	4	9	white	1,5	5
SPORT 200	432 300	1 racket	ITTF 1 star		5	4	9	white	1,5	5
PACK SOLO	432 351	1 racket + racket cover	ITTF 2 stars		5	5	9	white	1,8	5
SPORT 300	433 300	1 racket	ITTF 2 stars		6	5	9	white	1,8	5
SPORT 400	434 300	1 racket	ITTF 3 stars		7	6	8	white	1,8	5
PERFORM 500	425 500	1 racket	ITTF 3 stars	Aero	7	7	8	white	1,8	5
PERFORM 600	426 500	1 racket	ITTF 4 stars	Aero, OFC	7,5	7	7,5	white	1,8	5
PERFORM 800	428 500	1 racket	ITTF 5 stars	Aero, Dynacell ,OFC	8	8	7	orange	1,8	5
EXCELL 1000	411 500	1 racket	ITTF Performa 1	Aero, Dynacell, OFC, Efficient Curve	8.5	8.5	6,5	orange	2,0	5
EXCELL 2000 Carbon	412 500	1 racket	ITTF Performa 2	Carbon technology, Aero Soft, Dynacell, OFC, Efficient Curve	9	9	6	white	2,0	5
EXCELL 3000 Carbon	413 500	1 racket	ITTF Performa 2	Carbon Technology, Aero Soft , Dynacell, OFC, Efficient Curve	10	10	5	white	2,0	5

PLAYING
STRATEGIES

DEF

DEFINITION: «Traditional» defense, far from the table, generally involving chops (with both forehand and backhand).

MATERIAL: Very often a «long pimple-out» rubber (with or without sponge) on backhand, combined with an «inverted» rubber on forehand. The player can turn his bat.

ADVICES: ALL to OFF- «inverted» rubber, with a sponge hardness < or = 40°. Thickness of the sponge (for «inverted» rubber): less than or equal to 1.8mm. DEF to ALL+ blade.

DEF+

DEFINITION: «Modern» defense, namely a DEF game with frequent counter-attacks generally incorporating smash or topspin shots.

MATERIAL: «long pimple-out» rubber (with sponge) on backhand, combined with an «inverted» rubber on forehand. The player often turns his bat.

ADVICES: ALL+ to OFF+ «inverted» rubber, with a sponge hardness < or = 42.5°. Thickness of the sponge (for «inverted» rubber): from 1.6 to 1.8mm (or even 2.0mm, according to the level of the player). ALL to OFF- blade.

ALL-

DEFINITION:
A passive game based on small pushes and blocks alternating with mid-distance defensive shots. Offensive shots are pretty rare.

MATERIAL: «pimple-out» rubber (short, mid-long or long) or “antispin” on backhand, combined with an «inverted» rubber on forehand. The player barely turns his bat.

ADVICES: ALL to OFF «inverted» rubber, with a sponge hardness < or = 40°. Thickness of the sponge (for «inverted» rubber): from 1.6 to 1.8mm. ALL to ALL+ blade.

ALL

DEFINITION: varied game, more geared around a mid-distance from the table and favoring ball control, placement and variations in spin. The aim is to cause your opponent to commit an error.

MATERIAL: Two «inverted» rubbers.

ADVICES: ALL+ to OFF rubber with a sponge hardness < or = 40°. Thickness of the sponge from 1.8 to 2.0mm. ALL to OFF- blade.

ALL+

DEFINITION: varied and precise game with blocks and counter-initiatives, closer to the table than the ALL- and ALL games. The placement, variations in spin and rhythm are used in order to secure easy-scoring balls.

MATERIAL: Two «inverted» rubbers.

ADVICES: ALL+ OFF covering rubbers (OFF+ drive according to level), with a sponge hardness < or = 40°. Thickness of the sponge from 1.8 to 2.0mm. ALL to OFF blade

OFF-

DEFINITION:
Offensive play with variations in rhythm and spin, most often slightly mid-distance from the table. Basically topspin is widely used here, principally with late contact on the ball and some fairly high, curved trajectories.

MATERIAL: Two «inverted» rubbers.

ADVICES: OFF/OFF+ rubbers, with a sponge hardness < or = 42.5° on both sides. Thickness of the sponge from 1.8 to 2.0mm. ALL+ to OFF+ blade.

OFF

DEFINITION: Complete offensive play, combining fast strokes close to the table and variations in rotation at mid-distance from the table. The topspins are varied and often powerful, accentuated blocks and the player especially mobile.



MATERIAL: Two «inverted» rubbers.

ADVICES: OFF+ rubber with a sponge hardness > 40° on forehand and < or = 42.5° on backhand. Thickness of the sponge from 2.0mm to max. OFF- to OFF+ blade.



OFF+

DEFINITION: Very offensive style where taking the initiative is the absolute priority. The player moves about close to the table, returning the ball very early using topspin smashes, loops or active blocks. The player may also move away to a mid-distance from the table with wide-ranging and powerful topspins.

MATERIAL: Two «inverted» rubbers. Possible use of short «pimple-out» rubber on one of the two sides (common in Asia). The ball is then «punched» back on the bounce!

ADVICES: OFF+ rubbers with a sponge hardness > 40° on both sides. Thickness of the sponge from 2.0mm to max. OFF to OFF+ blade.





CORNILLEAU BLADES	Made in	Strategy	Speed	Feeling	Weight	Paddle			Handle	Playing strategies							
						Plywood	External Plies	Thickness (mm)		Shapes	DEF	DEF+	ALL-	ALL	ALL+	OFF-	OFF
GATIEN PURE OFF+ Carbon	Sweden	OFF+	155	Medium-Hard	85g	13+2	Limba	6,4	FL / AN / ST / CP						X	X	X
GATIEN VISION OFF+ Soft Carbon	Sweden	OFF+	145	Medium-Hard	85g	5+2	Tiba	5,8	FL / AN / ST / CP						X	X	X
GATIEN ABSOLUM OFF+	Sweden	OFF+	152	Hard	95g	7	Ebony	6,1	FL / AN / ST / CP							X	X
GATIEN GLORY OFF	Sweden	OFF	132	Medium-Hard	85g	5	Rosewood	6	FL / AN / ST / CP						X	X	X
GATIEN CONQUEST OFF	Sweden	OFF	130	Medium-Hard	85g	9	Wenge	6	FL / AN / ST / CP						X	X	X
GATIEN ORIGIN OFF-	Sweden	OFF-	112	Medium	90g	7	Walnut	5,7	FL / AN / ST / CP		X			X	X	X	X
GATIEN CROWN ALL+	Sweden	ALL+	102	Medium	90g	5	Anegre	5,7	FL / AN / ST / CP	X	X	X	X	X	X		
HINOTEC OFF+ Carbon	China	OFF+	150	Hard	85g	3+2	Hinoki	6,2	FL / AN / ST / CP							X	X
HINOTEC OFF	China	OFF	120	Medium-Hard	85g	5	Hinoki	6	FL / AN / ST / CP						X	X	X
HINOTEC OFF-	China	OFF-	110	Medium	85g	5	Hinoki	6	FL / AN / ST / CP		X			X	X	X	
HINOTEC ALL+	China	ALL+	100	Medium	85g	5	Hinoki	5,6	FL / AN / ST / CP	X	X	X	X	X			
AERO OFF+ Soft Carbon	China	OFF+	140	Medium-Hard	75g	3+2	Fineline	6,2	FL / CP						X	X	X
AERO OFF	China	OFF	115	Medium	75g	5	Fineline	6,6	FL / CP					X	X	X	X
AERO OFF-	China	OFF-	105	Medium	75g	5	Fineline	6,2	FL / CP		X		X	X	X	X	
AERO ALL+	China	ALL+	95	Medium-Soft	75g	5	Fineline	5,8	FL / CP	X		X	X	X	X		
AERO ALL	China	ALL	90	Soft	70g	5	Fineline	5,4	FL / CP	X	X	X	X	X			

CORNILLEAU RUBBERS	Made in	Type	Strategy	Speed	Spin	«Loop» Trajectory	Sponge				Top-sheet		Playing strategies							
							Concept	Thickness	Hardness	Color	Concept 1	Concept 2	DEF	DEF+	ALL-	ALL	ALL+	OFF-	OFF	OFF+
TARGET PRO GT-X51	Germany	Pimple-in	OFF+	160	170	High	Nextens GT	2,0/max	51	Cream	Spin-Drive 3D	Grip Extend +							2,0	max
TARGET PRO GT-H47	Germany	Pimple-in	OFF+	155	170	High	Nextens GT	2,0/max	47	Orange	Spin-Drive 3D	Grip Extend +							2,0	max
TARGET PRO GT-M43	Germany	Pimple-in	OFF+	150	170	High	Nextens GT	2,0/max	43	Yellow	Spin-Drive 3D	Grip Extend +							2,0	max
TARGET PRO GT-S39	Germany	Pimple-in	OFF+	145	170	High	Nextens GT	2,0/max	39	Cream	Spin-Drive 3D	Grip Extend+							2,0	max
TARGET ULTIM 50	Germany	Pimple-in	OFF+	150	150	High	Nextens	2,0/max	50	Cream	Spin-Drive 3D	Grip Extend							2,0	max
TARGET ULTIM 47,5	Germany	Pimple-in	OFF+	147,5	150	High	Nextens	2,0/max	47,5	Orange	Spin-Drive 3D	Grip Extend							2,0	max
TARGET FORCE 45	Germany	Pimple-in	OFF+	145	150	High	Nextens	2,0/max	45	Cream	Spin-Drive 3D	Grip Extend							2,0	max
PILOT FAST	Germany	Pimple-in	OFF+	145	140	Medium	In-Tens²	2,0/max	40	Orange	Fast			2,0				2,0	2,0	max
PILOT SOUND POWER	Germany	Pimple-in	OFF+	135	140	Medium	In-Tens²	2,0/max	35	Orange	Sound			2,0			2,0	2,0	2,0	max
DRIVE SPEED	Japan	Pimple-in	OFF-/OFF	115	145	Medium		1,8/2,0	45	Cream	Speed			1,8/2,0		1,8	2,0	2,0	2,0	
DRIVE SPIN	Japan	Pimple-in	ALL+/OFF-	100	145	Medium		1,8/2,0	40	Yellow	Spin			1,8	1,8/2,0	1,8	1,8/2,0	1,8/2,0	2,0	
START UP'	China	Pimple-in	ALL	90	115	Low		1,8	40	Cream				1,8		1,8	1,8			

MAKING YOUR LIFE EASIER



SAFETY

All our tables comply with the European safety standards EN 14468. However, in order to ensure the utmost level of safety, Cornilleau has positioned its products well above this standard.

ASSEMBLY

Cornilleau tables are easy to assemble using clear and detailed diagrams. Many parts are pre-assembled in our factory. User guides and labels on each playing surface describe the main safety guidelines and instructions for use. Average assembly time: 1 hour

GUARANTEE

Cornilleau guarantees its tables against any manufacturing defect for a period of 3 years. This guarantee is extended to 10 years for outdoor tables. This 10-year warranty applies to all the various components, with the exception being the wear parts (wheels, net and net posts).

AFTER SALES SERVICE & SPARE PARTS

Our customers benefit from high quality products and an excellent after sales service. Spare parts can be ordered directly from www.cornilleau-services.com for tables manufactured within a minimum of the last 10 years. Cornilleau after sales service: located at our headquarters in Bonneuil-les-Eaux (France), this department comprises specialists who can answer your questions and offer advice via a simple phone call to:

+33 (0)3 44 80 22 22 from Monday to Friday from 08:00 am to 12:00 noon and 13:30 to 17:30 pm (French time).

DIMENSIONS

Cardboard packaging: height 141cm, length 157cm, width 10 to 20cm

Closed table: height 155cm, length 167cm (leisure and institutional range) and 183cm on all other models, width 75cm

Playing dimensions: height 76cm, length 274cm, width 152.5cm.





*14 route Départementale 1001
CS 90170 - Bonneuil-les-Eaux
F - 60121 BRETEUIL CEDEX
Tel : +33 (0) 3 44 80 22 22
Fax : +33 (0) 3 44 80 22 23
Email : export@cornilleau.fr*

Web : www.cornilleau.com
